



Indian Society for ElectroAnalytical Chemistry (ISEAC)



(Reg. No. MAH/MUM/1173/2006 GBBSD)

Bhabha Atomic Research Centre, Mumbai - 400085

President

Dr. P.D.Naik

Vice President (Head Quarter)

Dr. C. N. Patra

Vice President (Outstation)

**Dr. Kothandaraman
R.**

Secretary

Dr. A.K.Satpati

Treasurer

Dr. V.T.Aher

Committee

Dr. A. Banerjee

Dr. S.K.Aggarwal

Dr. S. K. Guin

Dr. Ronald M.

Dr. C. Bhattacharya

Dr. M.K.Dey

Dr. Nagaraj Shetti

Dr. Srikant Sahoo

Dr. A. Ambolikar

Ref. XIII-AGM//ISEAC

Date: 15-03-2022

Sub: 13th General Body Meeting of ISEAC Members

The 13th General Body Meeting of the members of Indian Society for ElectroAnalytical Chemistry (ISEAC) will be held on Wednesday, March 31, 2022 at 18:30 hrs at the office of Dean, Homi Bhabha National Institute (HBNI), Training School Complex, Anushaktinagar, Mumbai 400094.

AGENDA

1. To approve the minutes of the 12th Annual General Body Meeting held on March, 31 2021 at 16:30 hrs at the office of Dean, Homi Bhabha National Institute (HBNI), Training School Complex, Anushaktinagar, Mumbai 400094.
2. To approve Secretary's report for the period of April 1, 2020- March 31, 2021
3. To approve the audited statement of accounts for the financial year April 1, 2020- March 31, 2021.
4. To appoint auditor of the society
5. To discuss on the future plans of the Society.
6. Any other matter with the permission of the Chair.

Note: If there is no quorum, the meeting will be adjourned for half an hour and will be reconvened at the same venue without want of quorum.

Encl.

1. Audited accounts for the financial year 2020-2021.
2. Minutes of the 12th General Body Meeting.
3. Secretary's Report (April 1, 2020- March 31, 2021).

Dr. A.K.Satpati (Secretary, ISEAC)

To All Members of ISEAC & ISEAC Website

Address of Correspondence: Analytical Chemistry Division, 3rd Floor, Modular Labs,
Bhabha Atomic Research Centre, Mumbai – 400085, India

Email: electrochembarc@gmail.com, **Web:** www.iseac.org.in

Contact: (+91)22-25590744/0326/ 8369268926 (M)